

FAUX FELT ACOUSTIC WALLCOVERING

Wallcoverings • Panels • Exhibits • Partitions

Contemporary soundproofing for modern spaces provides vibrant colour & polished design in this felted fabric grouping made from 100% recycled polyester fibers.

WIDTH:	63"		BACKING:	Fused Poly	
TOTAL WEIGHT:	25 oz. per linear	yard	INSTALLATION:	Non-Reversible / Random Match	
THICKNESS: Approximately 3.5		3.5mm	CONTENT:	Recycled Polyester	
			LENGTH:	30 yards	
PERFORMANCE					
FLAMMABILITY:		Passes ASTM E-84 Class A Tested in Accordance with CAN/ULC-\$102			
York) COLOURFASTNESS TO LIGHT:		(AATCC Method 16): Class 5 (40 hours)			
COLOURFASTNESS TO CROCKING:		(AATCC Method 8): Class 4.5 (Wet), Class 4.5 (Dry)			
ABRASION RESISTANCE:		Full Commercial Serviceability			
ACOUSTICAL NRC (ASTM C-423):		0.15 over gypsum board			
QUALITY STANDAR	DS				
FIBER:		Does not absorb n	noisture. Solution dyed.		
ENVIRONMENTAL:		Created with No PVC, No Heavy Metals or Formaldehyde,			
		No ODS's, No Phthalates, No VOC's			
SUSTAINABLE MATERIALS:		Produced Using Recycled Content			
CLEANING CODE:		WS & BC - Water/Solvent & Bleach Cleanable			
INDOOR AIR QUALITY:		Low V.O.C. Emitting Wallcoverings Meets California Department of Health Services			
		Section 01350 Rec	quirements for Office and	d School Interior	
LEED CONTRIBUTIO	ON:	Can Contribute To	wards LEED Points		

INSTALLATION

Installation and maintenance instructions are enclosed with every shipment and should be carefully read prior to installation. For best results, it is recommended that a qualified textile wallcovering installer be employed.

WARRANTY

5-year limited warranty against manufacturing defects.

HEALTH CARE	HOSPITALITY	ENTERTAINMENT	INSTITUTIONAL	
Retirement Facilities	Ball Rooms	• Theatres	 Schools (Auditorium) Government & Mass Trans. Buildings 	
Nursing Homes	Conference Rooms	 Recreational Centers 		
Hospitals	Meeting Rooms	CORPORATE	Day Care Center	
Nursing Stations	DESIGNERS	Executive Conference Rooms		
	Commercial Interiors Market General Offices			



The assigned numerical reading and other tests referenced in this text are not intended to reflect hazards presented by this or any other material under actual fire cognitions. Consult an architect or fire safety engineer for information on applicable building codes and reduction of fire hazards, including the use of sprinklers.